



Test Report

Report No.: GZAFN1807012525S001

Date: Aug 01 2018

Client name: Dongguan Likang Household Products Co. Ltd
 Client address: No.2 Guangfa Road, Dani Village, Shatian Town, Dongguan City, GuangDong, China.
 Sample name: SPONGE
 Sample Batch No.: /
 Product Date: /
 Manufacturer: /
 Sample other information: /

Above sample(s) was/were submitted and certified by the client, SGS quoted the information with no responsibility as to the accuracy, adequacy and/or completeness.

SGS Sample No.: GZAFN1807012525S.001
 SGS reference No. CANAF1815065701, SDHL1807016838FB
 Date of sample received: Jul. 23, 2018
 Testing period: Jul. 23, 2018 ~ Jul. 31, 2018

TEST(S) REQUESTED: Selected test(s) as requested by the applicant

TEST METHOD(S): Please refer to next page(s)

TEST RESULT(S): Please refer to next page(s)

RESULT SUMMARY:

Test Requested	Conclusion
A: California Technical Bulletin 117-2013 Section 3	PASS
B: US California Proposition 65 - Phthalate Content	See Results

This test report has been drafted in English and maybe translated into other languages, The English version shall prevail.

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch



SGS Authorized Signature
胡楷崎 Catherine Hu

This test report refers only to the sample(s) tested. This document cannot be used for publicity, without prior written approval of the SGS.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

TEST RESULT(S):

A*: California Technical Bulletin 117-2013 Section 3

Test Conducted:

TB117 Requirements, Test Procedure and Apparatus for Testing the Smolder Resistance of Materials Used in Upholstered Furniture-2013 Section 3-Resilient Filling Material Test

I. Sample Details

Material:	Foam	Density of sample:	29.0 kg/m ³
-----------	------	--------------------	------------------------

II. Test Condition

	Temperature	Relative humidity	Duration
Conditioning of test samples and cigarettes	(21 ± 3) °C	RH < 55%	24h

III. Acceptance Criteria:

1. A single mock-up test specimen fails to meet the requirements of this test procedure if any of the following criteria occurs:
 - a) The mock-up test specimen continues to smolder after the 45 minute test duration;
 - b) A vertical char length of more than 1.5 inches develops on the cover fabric.
 - c) The mock-up test specimen transitions to open flaming.
2. The resilient filling material passes the test if three mock-up specimens pass the test.
3. If more than one specimen fails, the resilient filling material fails the test.
4. If any one of the three initial specimens fails, repeat the test on additional three specimens.
5. If all three additional specimens pass the test, the resilient filling material passes the test. If any one of the additional three specimens fails, the resilient filling material fails the test.

IV. Test Result

Specimen #	Duration of smouldering (min : sec.)	Open flaming (YES/NO)	Vertical Char Length (inches)	Rating
1	30min46s	NO	0.5	PASS
2	30min19s	NO	0.5	PASS
3	30min30s	NO	0.5	PASS

Conclusion: PASS

Note: * The test was carried out by a SGS laboratory.

B: US California Proposition 65 -Phthalate Content (Polymeric materials other than PVC)

Test Method: With reference to CPSC-CH-C1001-09.4. Analysis was performed by GC-MS.

Test Item(s)	CAS NO.	Limit	Unit	MDL	Test Result
Dibutyl Phthalate (DBP)	84-74-2	1000	mg/kg	50	ND
Benzylbutyl Phthalate (BBP)	85-68-7	1000	mg/kg	50	ND
Bis(2-ethylhexyl) Phthalate (DEHP)	117-81-7	1000	mg/kg	50	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Notes:

- 1.The limit is referenced to the requirement as stated in County of Marin Court, CIV 1000641 and in the County of Santa Clara Superior Court, 114CV267501.
- 2.The reference limit applied in testing is based on particular California Proposition 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect a user's actual exposure to the tested chemical.
- 3.A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement,and may choose to comply with California Proposition 65 by clearly informing the consumer of potential exposure.
- 4.ND = Not Detected.

SAMPLE DESCRIPTION: Sponge

Photo Appendix



SGS authenticate the photo on original report only
*** End of Report ***

